

DocuPrint
CP315 dw / CM315 z
A4 Colour Printers



DocuPrint CP315 dw / CM315 z Smart@Work

Smarter solutions for your business

FUJI xerox 

Introducing the next generation printing products from Fuji Xerox. Our Smart@Work printers simply get the job done, so you can stay focused on your business and not the technology. Supporting your success, by managing your costs and your data, our Smart@Work printers can do much more than just print, copy, scan, email and fax.



Mobility for your Business, get more work done in less time

Our Smart@Work printers offer fully integrated mobile, scanning and cloud based solutions – so your office is always at your fingertips. By combining NFC (Near Field Communication) technology with support for Apple AirPrint and Google CloudPrint, you can now enjoy enhanced productivity and convenience. Smart@Work printing promotes ease-of-use and eliminates print-queues by simplifying the print process. In the case of the DocuPrint CM315 z multifunction, this productivity benefit also extends to your scanning process. Your business is freed of time-consuming printing and scanning processes allowing you to get more work done in less time.

AirPrint and Google Cloud Print ready

AirPrint™ and Google Cloud Print™ enables you to print directly from your mobile device without the need to download mobile apps or to install print drivers. Perfect for your mobile business.



AirPrint



Google Cloud Print

Mopria™ Alliance Certification

The DocuPrint CP315 dw / CM315 z are Mopria Alliance certified, making it possible for Android users to easily print documents using your mobile device. Mopria Print Service can be downloaded for free from Google Play™ Store (Android™ 4.4 or later).



mopria

Wi-Fi Direct

The DocuPrint CP315 dw / CM315 z are Wi-Fi Direct enabled allowing devices to connect and print easily without requiring a wireless access point.



NFC Enabled

The DocuPrint CP315 dw / CM315 z offers built-in Near Field Communication (NFC) technology. NFC is a form of contactless communication between a mobile device and the printer*. Wave your mobile device over the printer, the Print Utility automatically launches and you are ready to print or scan.



*Scan function only available on CM315 z

*To enable this you must install the Fuji Xerox Print Utility App.

Complete tasks faster with Smart@Work One Touch



All businesses have daily repetitive tasks, which can be monotonous, tedious, boring and tiresome. These tasks are prone to error due to inattention or sheer boredom. The DocuPrint CM315 z takes a complex, common task (scan, copy, email, fax) and simplifies the process through a Smart icon.

The customisable colour touch screen allows you to set up custom icons with your most used functions. Simply create a smart icon specific to your task, name it and you're ready to go. Press the icon and with one touch of a button you can work faster with Smart@Work One Touch. For even more convenience, you can rearrange your icons to easily access the functions you use the most. Smart@Work One Touch provides simple access to the cloud.

Now you can work faster with Smart@Work One Touch. You have One Touch access to the cloud, so you can print from or scan to your cloud service.

Print Fast. Don't wait

However demanding your business printing needs, the DocuPrint CP315 dw / CM315 z delivers great results – fast. Save time by printing even complex documents at speeds of up to 28 pages per minute helping you to work faster, be more flexible and more productive.

Save time and increase productivity with Smart@Work One Touch

Simplify your work processes with the innovative 4.3" colour touch screen display on the DocuPrint CM315 z.

It features bright, colourful icons and intuitive 'click-drag' navigation for optimal ease-of-use. Organise your most commonly used functions so they are easy to access.

Make your daily work processes a breeze by creating your own custom 'app', which allows you to convert complex processes into a simplified command you can access with a click of a button, giving you quick access to frequently used and complex functions.

The built-in USB port makes walk-up functionality simple, allowing you to print and scan to and from a USB memory stick without the need of a PC.



DocuPrint CM315 z
4.3" Colour Touch Screen


One Touch access to the cloud



Cloud Service Hub – print from, scan to, your cloud service

With the Fuji Xerox Cloud Service Hub you can print various types of file formats such as Microsoft Office stored in your cloud service or send scanned data to the cloud – simply and securely. The single sign-on feature gives users Smart@Work One Touch secure access to your web apps in the cloud – via your PC or mobile device or your multifunction printer*.

The DocuPrint CP315 dw / CM315 z are shipped with 1 user licence, 12 months subscription valued at \$95. This provides access to Fuji Xerox Cloud Service Hub which allows Smart@Work One Touch access to your listed cloud services (Dropbox, Evernote, Box, Google Drive, OneDrive and Working Folder).



Connect safely

Powerful security features makes the DocuPrint CP315 dw / CM315 z perfect additions to any multi-user environment

Security that protects your data and your business

Businesses are only getting more connected and that brings increased risks, even for multifunction printers. With the Fuji Xerox Smart@Work range, you can protect your business critical data against potential attack from multiple access points.

Secure communication

For users in today's business environment, security is paramount. The DocuPrint CP315 dw / CM315 z is equipped with advanced

technology designed to safeguard your business critical data against potential attack from multiple points of access.

Built-in security features such as IPV6, IPsec, Secure HTTPs (SSL) and SNMPV3 delivers required security to keep your confidential data safe.

Confidential printing

Advanced security features, such as Secure Print, allows you to set a password on your print job which means that the data is encrypted for transmission and is hidden from prying eyes by only printing when a password is entered on the control panel. Perfect for workgroup environments, this means that your confidential documents won't end up in the wrong hands.

Smart@Work Range



DocuPrint CM315 z



DocuPrint CM405 df



DocuPrint CM415 AP



DocuPrint CP315 dw



DocuPrint CP405 d

Flexible options to suit your needs

The DocuPrint CP315 dw / CM315 z gives you flexible options to suit your work environment

- 1 4.3" Colour Touch Panel* with easy to use operations
- 2 Direct USB Scan*
- 3 Duplex Automatic Document Feeder *
- 4 Easy to change toner
- 5 50-sheet bypass tray
- 6 250-sheet standard feeder
- 7 Optional 550-sheet feeder (EL500292)
- 8 Optional cabinet (EL500294)
The optional cabinet frees up table space and provides extra storage for consumables
- 9 External standard Wi-Fi



*Available on the CM315 z


Impress customers with quality while making real savings for your business



One of the lowest running costs in the market

The Smart@Work 315 Series offers you best-in-class colour print quality at one of the lowest running costs in the market saving you money.

You invest in a colour printer for a reason – to produce quality material so that it makes an impact on your customers. Nothing is more effective than colour when your material needs to be noticed, understood and remembered.



*Independent Printer Review (IPR) as at 1 July 2016



High yield, lower costs

High-yield toner cartridges allow longer periods of uninterrupted productivity, reducing your total cost of operation.

Certified energy efficient

The DocuPrint CP315 dw / CM315 z carry the international Energy Star label. Energy Star is a voluntary labelling program designed to identify and promote energy efficient products that reduce greenhouse gas emissions.



Save with Super EA-ECO Toner

The newly developed Super EA-Eco Toner applies a new polyester resin that dramatically effects the viscosity of the toner with changes in temperature. This enables Super EA-Eco Toner to achieve 10-15°C lower fusing temperature than standard toner, reducing power consumption by up to 20%, and reducing CO₂ emissions by up to 35%. That means bigger savings for you and a greener planet for us all.




Take charge of your printing costs

With Auditor, you can define user usage limits for colour printing. This makes it easier to track, analyse and manage print expenses for your business.

New CCSLED Technology with IReCT delivers outstanding print quality

Newly developed CCSLED (Current Confinement Self-Scanning Light Emitting Device) & STYLS (Set-Type ThYristor Logic SLED) technology allows high-resolution output at 1200 x 2400 dpi quality, whilst achieving compactness and power-saving benefits.

IReCT (Image Registration Control Technology) ensures each printed colour is corrected by digitally processed 2400 dpi high-resolution data, ensuring improved registration accuracy and ultra-precision image reproduction.



Gradation control in secondary scanning direction enables smoother reproduction of black lines and character outlines. This feature is especially effective on the lines in low angles. The result is smoother, sharper image reproduction.

Configurations



DocuPrint CP315 dw

- Up to 28 pages per minute printing
- Standard paper capacity – 300 sheets
- Automatic 2-sided printing
- Print resolution of 1200 x 2400 dpi
- Memory Capacity 512MB
- Network ready, Wireless Network, USB 2.0
- Fast processing speed with ARM Core 733MHz



DocuPrint CM315 z

- Same print features as CP315 dw plus
- Copy, Scan, Fax, Email function
- Memory Capacity 1GB
- ID Card copy feature
- 4.3" colour touch panel
- Scan to FTP / Email / SMB / USB storage device
- Embedded Fax (33.6Kbps) and PC DirectFAX



Specifications of DocuPrint CP315 dw / CM315 z

Basic Specifications / Print Function

| Item | DocuPrint CP315 dw | DocuPrint CM315 z |
|---------------------------------------|--|---|
| Print Speed | Up to 28 ppm (A4), monochrome and colour | |
| Duplex Print Speed | Up to 18 ppm (A4), monochrome and colour | |
| Print Resolution | 1200 x 2400 dpi (Fuji Xerox Imaging Technology) | |
| First-page-out-time (ISO 17629) | Less than 9.2 seconds for colour Less than 8.2 seconds for monochrome | |
| Warm-up time | Within 20 seconds | Within 38 seconds |
| Maximum Duty Cycle | 52,000 pages/month | |
| Memory (Standard) | 512MB | 1GB |
| Processor | ARM Core 733MHz | |
| PDL | PCL6, PCL5e, Postscript® 3 Compatible | |
| Duplex Automatic Document Feeder | - | 50 sheets |
| Two-sided printing, copying, scanning | - | Standard |
| Protocol | Ethernet (standard): TCP/IP (IPv4/IPv6, LPD, IPP, IPPS, SMB, Port9100, WSD*, HTTP, HTTPS, SMTP, RARP, AutoIP, WINS, Telnet), SNMP, DHCP, BOOTP, Bonjour (mDNS), LDAP, LDAPS, Kerberos, DNS, DDNS, SNT, FTP IEEE 802.11b/802.11g/802.11n * WSD stands for Web Services on Devices. | |
| Connectivity | Ethernet (1000BASE-T/100BASE-TX/10BASE-T), USB 2.0 (Hi-Speed), Wireless (IEEE802.11b/802.11g/802.11n) | |
| Supported OS | PCL6 Driver: Windows® 10 (32bit), Windows® 10 (64bit), Windows® 8.1 (32bit), Windows® 8.1 (64bit), Windows® 7 (32bit), Windows® 7 (64bit), Windows Vista® (32bit), Windows Vista® (64bit), Windows Server® 2012 R2 (64bit), Windows Server® 2012 (64bit), Windows Server® 2008 R2 (64bit), Windows Server® 2008 (32bit), Windows Server® 2008 (64bit), Citrix XenApp 7.6 Postscript® 3 Compatible: Windows® 10 (32bit), Windows® 10 (64bit), Windows® 8.1 (32bit), Windows® 8.1 (64bit), Windows® 8 (32bit), Windows® 8 (64bit), Windows® 7 (32bit), Windows® 7 (64bit), Windows Vista® (32bit), Windows Vista® (64bit), Windows Server® 2012 R2 (64bit), Windows Server® 2012 (64bit), Windows Server® 2008 R2 (64bit), Windows Server® 2008 (32bit), Windows Server® 2008 (64bit), OS X 10.11 El Capitan, OS X 10.10 Yosemite, OS X 10.9 Mavericks, OS X 10.8 Mountain Lion, Mac OS X 10.7 Lion, Citrix XenApp 7.6 Linux PDF driver provided, supported OS as follows: Redhat Enterprise Linux 7 Desktop, Redhat Enterprise Linux 6 Desktop, SUSE Linux Enterprise Desktop 12, SUSE Linux Enterprise Desktop 11, Ubuntu 14.04 LTS, Ubuntu 12.04 LTS, Ubuntu 10.04 LTS | |
| Input Paper Size* | Standard Tray: A4/B5/A5/A6, Letter/Legal/Folio/Executive/COM10, Monarch, DL, C5, Postcard(4x6), Postcard(5x7), Custom Size (Width: 76.2 to 215.9mm, Length: 148 to 355.6mm) Bypass Tray: Width: 76.2 to 215.9mm Length: 127 to 355.6mm Optional 550-sheet Feeder: Width: 76.2 to 215.9mm Length: 190.5 to 355.6mm | |
| Input Paper Weight (All trays) | 60 to 220gsm | |
| Media Input Capacity | Bypass Tray: 50 Sheets; Standard Feeder: 250 sheets; Optional Feeder: 550 sheets; Maximum: 850 Sheets | |
| Media Output Capacity | 150 sheets face-down | |
| Dimensions (WxDxH) | 420 x 480 x 347 mm | 420 x 503 x 500 mm |
| Weight (without toner cartridges) | 23.7kg | 30.2kg |
| Power Support* | 220 to 240V 0Hz ±10%; 50Hz ±3Hz, 60Hz ±3Hz | |
| Power Consumption* | Max 1,320w or less Low 15w or less Sleep 1.2w or less | Max 1,320w or less Low 23w or less Sleep 1.5w or less |
| Noise Levels | Standby: 4.30dB(A); During operation: 6.94dB(A) | |

Copy Function

| Item | DocuPrint CP315 dw | DocuPrint CM315 z |
|----------------------------|--------------------|---|
| Continuous Copy Speed (A4) | - | 28 sheets (A4) Colour, Monochrome |
| Copy Resolution | - | up to 600 x 600 dpi |
| FCOT | - | 9.9 secs monochrome / 12.1 secs colour |
| Reduction / Enlargement | - | 25% – 400% |
| Continuous Copy | - | Up to 99 pages |
| Copy Features | - | 2-in-1 copy, ID card copy, 2 sided copy |

Scan Function

| Item | DocuPrint CP315 dw | DocuPrint CM315 z |
|---------------------------------|--------------------|--|
| Type | - | CIS 1path 2sided scan |
| Scan Speed | - | Monochrome: 32 ipm, Colour: 15ipm (Simplex, A4 size, Colour 200dpi, from ADF) |
| Maximum Scanning Guarantee Area | - | Platen: 216mm x 297mm ADF: 215.9mm x 356mm |
| Scan Optical Resolution | - | Up to 600 x 600 dpi |
| Scan Destinations | - | Scan to Email, Scan to Network (FTP/SMB), Scan to USB Memory Scan to PC |

Fax Function

| Item | DocuPrint CP315 dw | DocuPrint CM315 z |
|-------------------|--------------------|--|
| Memory Capacity | - | 4MB |
| Fax Resolution | - | Up to 400 x 400 dpi |
| Transmission Mode | - | ITU-T Super G3 / G3 ECM/G3 |
| Address book | - | 120 |
| Fax Features | - | Transmit: PC DirectFAX, Broadcast, Delay/Schedule, Forward Receive: Secure, Remote, Polling, Fax Forward to email |

Accessories

| Item | DocuPrint CP315 dw | DocuPrint CM315 z |
|------------------|--------------------|-------------------|
| 550-sheet feeder | | EL500292 |
| Cabinet | | EL500294 |

Consumables*

| Item | DocuPrint CP315 dw | DocuPrint CM315 z |
|---|--------------------|-------------------|
| Black Toner (up to 3,000 pages) | | CT202606 |
| Cyan Toner (up to 3,000 pages) | | CT202607 |
| Magenta Toner (up to 3,000 pages) | | CT202608 |
| Yellow Toner (up to 3,000 pages) | | CT202609 |
| High-capacity Black Toner (up to 6,000 pages) | | CT202610 |
| High-capacity Cyan Toner (up to 6,000 pages) | | CT202611 |
| High-capacity Magenta Toner (up to 6,000 pages) | | CT202612 |
| High-capacity Yellow Toner (up to 6,000 pages) | | CT202613 |
| Drum Black (up to 50,000 pages) | | CT351100 |
| Drum Cyan (up to 50,000 pages) | | CT351101 |
| Drum Magenta (up to 50,000 pages) | | CT351102 |
| Drum Yellow (up to 50,000 pages) | | CT351103 |
| Waste Toner Cartridge (up to 30,000 pages) | | EL500293 |

* Declared yield in accordance with ISO / IEC 19798 / 24712. Yield may vary depending on image, area, coverage and print mode (job length, media size, media type and orientation). Printer is shipped with one set of starter toner cartridge with average yield of 3,000 pages and up to 50,000 pages for drum cartridges.

Other company names or product names are registered trademarks or trademarks of each company. 'Wi-Fi Direct' is a mark [for a registered mark] of the Wi-Fi Alliance, AirPrint and the AirPrint logo are trademarks of Apple Inc. Google Cloud Print is a trademark of Google Inc.

Reproduction Prohibitions Please note that reproduction of the following is prohibited by law: Domestic and foreign currencies, government-issued securities, and national bonds and local bond certificates. Unused postage stamps, post cards, etc. Certificate stamps stipulated by law. Reproducing works forming the subject matter of copyright (literary works, musical works, paintings, engravings, maps, cinematographic works, drawings, photographic works, etc.) is not permitted unless the reproduction is for the purpose of personal use, family use or other similar uses within a limited circle.



For Your Safety
Before using the product, read the Instruction Manual carefully for proper use. Use the product with the power source and voltage specified. Be sure to establish ground connection. Otherwise, electric shock may result in the case of a failure or short circuit.

For more information or detailed product specification, please call or visit us at

Fuji Xerox Asia Pacific Pte Ltd

14a Rodborough Road Frenchs Forest NSW 2086
Australia 1300 793 769 New Zealand 0800 993 769

www.fujixeroxprinters.com.au www.fujixeroxprinters.co.nz

